Technical monoethylene glycol MEG



Glycol (MEG):

DORIS

- Ethylene glycol is a chemical substance commonly used in the industry, primarily in refrigeration. Ethylene glycol prevents the car engine from freezing in winter and acts as a coolant during high temperatures in summer.
- It is used as an industrial coolant for gas compressors, heating systems, ventilation, and air conditioning.

DORIS

Technical monoethylene glycol MEG

S ODKRYCIE



Ethylene glycol MEG 5L STD



DORIS DKRYCER 2023

Technical monoethylene glycol MEG





Działa sakodówie po połknięciu. Może powodować uszkodzenie narządów poprze długotrwale lub powtarzane narzzenie. Owonić przed dziedmi. Dokładnie umyć ręce po użyciu. Nie jesć, nie pić i nie połkć podcz używania podatku. W PEZPROJU DOkUMECJA: nastychmiast skontaktować się z OSRODNED

ATRUCA-karzem. Wypłukać usta. zwartość/pojemnik usuwać do odpowiednio oznakowanych pojemników na odpady zgodni krajowymi przepisami.

Application:
 In the refrigeration industry,
 In the construction industry,
 So the anduction of classifications and the construction industry.

Normal II sualword. May cause damage in argans through prolonged or repeated exposure Keep out of the reach of doklem. Wash hands theroughly after use, Do not ear, drink or smok when waing the poolst. IF VMLUNDE: Gal a PCRO (CHRIS/molific) practitione immediates). Firste mosth. Dispose of content/unitationer in properly labeled wash containers in accentioner with antisolaritergulations.



ETYLENOWY C2H602 Numer indeksowy: 603-027-00-1 Numer rejestraciji REA(H: 01-21194558166-28-0000 Numer WE: 203-073-3 Numer CAS: 107-21-1

GLIKOL

Territe seconds 2 List of did produkt, Teta pendagin a periodentine date. Production date : 2 years from the production date. Production date : 2 years from the pendaging DOR474 5 900444135 6837115

LAUR KONSUMENTA/ CONSUMENT AWARD

 J.J.L.S.
 0

 O. TRLANA
 YOLEONISKA 748, POLAND

 POLEONISKA 748, POLAND
 9

 (23) 655 31 80 3
 533 737 177

 RO:SOCHEPOLSKAPL
 109%

Ethylene glycol MEG 5L KWR

Technical monoethylene glycol MEG

DORIS DKRYCE



GLIKOL NOWY C2H6O2 indeksowy: 603-027-00-1 iREACH: 01-211945665166-28-1000 mer WE: 203-475-3 immer (A5: 107-21-1

Consequences and a second a second

-in the refrigeration industry, -in the construction industry,

Hardfulf values and the second second



Ethylene glycol MEG 5L KWR-ZLK





Technical monoethylene glycol MEG in barrels and IBCs



Products in plastic barrels



Products in IBC containers